

The sleek, intuitive, WireFree wall mounted control for motorised window coverings

PRODUCTS MAIN FUNCTIONALITIES



Smoove Origin RTS
(with mechanical push buttons)



Smoove RTS
(with touch buttons)



Smoove 1 O/C
(with touch buttons)
(curtain applications only)



WireFree
For simpler installation



Dynamic and versatile
(Compatible with 3 different coloured frames)




Single or multiple channel control



Available in touch or mechanical buttons



Open, Close, Stop & My Position



Solutions available for curtain applications


COMPATIBLE END PRODUCTS

Roller
BlindsRoman
BlindsPleated &
cellular

Zebra



Sheer



Curtain

Projection
Screens

Awnings

Roller
Shutters

BENEFITS FOR PROFESSIONALS

Easy Installation

- A battery powered WireFree solution allows for easy installation, no need for wiring or electrician

Adaptable

- Choice of single or multi-channels, to suit all configurations of installing with the same design

Reliable Features

- An instinctive ergonomic design to easily promote to the end users
- A range of frames to suit all decor

PRODUCT CODES

Code	Description	Channels	Button Type
1810881	Smoove 1 Pure RTS	1	Touch Button
1810883	Smoove 1 Silver RTS	1	Touch Button
1810882	Smoove 1 Black RTS	1	Touch Button
1811045	Smoove Origin RTS*	1	Mechanical Button
1800223	Smoove Origin 2 RTS*	2	Mechanical Button
1800295	Smoove Origin 4 RTS*	4	Mechanical Button
1811011	Smoove 1 O/C Pure RTS	1	Touch Button (Solution for Curtains)
1811009	Smoove 1 O/C Black RTS	1	

*Pure Frame included in kit.

TECHNICAL DATA

Radio Frequency	433.42MHz
Supply	3V Button Battery
Index Protection Rating	IP30
Range	150meters in open field
Temperature Working Range	0°C to +48°C
Protocol	RTS
Battery Lifetime	60 Months**

BENEFITS FOR END USERS

Aesthetic

- A choice of 3 frame colours to suit all home styles.
- A double pure wall frame available
- A timeless design ensuring consistency with the rest of the Smoove range
- No visible wiring
- Low battery indicator

Intuitive and easy to use



- Reliable controls to individually or simultaneously manage your applications
- Combine your application management as you wish with the direct access to the channel's selection

DIMENSIONS

With Frame	80mm x 80mm x 10mm
Without Frame	50mm x 50mm x 10mm

**At ambient temperature in typical conditions.

OPERATIONAL INSTRUCTIONS



⚠ WARNING

THIS PRODUCT CONTAINS A BUTTON BATTERY

If swallowed, a lithium button battery can cause severe or fatal injuries within 2 hours.

Keep batteries out of reach of children.

If you think batteries may have been swallowed or placed inside any part of the body, seek immediate medical attention.

COMPATIBLE WALL MOUNT FRAMES

Code	Description
9015022	SMOOVE PURE FRAME
9015025	SMOOVE SILVER FRAME
9015023	SMOOVE BLACK FRAME
9015238	SMOOVE DOUBLE PURE FRAME



Pure



Silver



Black



Double Pure